

Material Safety Data Sheet
 May be used to comply with
 OSHA's Hazard Communication Standard,
 29 CFR 11910, 1200, Standard must be
 Consulted for specific requirements.

Section I

Identity (As used on Label and list) eicó Alterior Satin (All colours)	
Supplier/Distributor's Name Eico Paints Limited	Emergency Telephone Number +44 (0)845 073 9432
Address 861-863 Fulham Road	Telephone Number for Information +44 (0)845 073 9432
London SW6 5HP	Date Prepared
United Kingdom	January 2004

Section II

Hazardous (Specific Chemical Identity; Common Name(s)) Components	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
None.				

Section III – Physical /Chemical Characteristics

Boiling Point Not known	Specific Gravity (H2O-1) 1,2 – 1,3
Vapour Pressure (mm HG) Not known	Melting Point <0
Vapour Density (Air=1) Mainly Water vapour	Evaporation Rate (Butyl Acetate=1) Not known
Solubility in Water Yes.	
Appearance and Odour Viscous white liquid with mild odour.	

Section IV – Fire and Explosion hazard Data

Flash Point (Method Used) ----	Flammable Limit Not flammable.	LEL	UEL
Extinguishing Media After evaporation of water, the resulting products burn. Use Foam, CO2, Chemical powder or water			
Special Fire Fighting Procedures None known. However in case of fire wear suitable respiratory protection.			
Unusual Fire and Explosion Hazards None known.			

Section V – Reactivity Data

Stability	Unstable		Conations to Avoid
	Stable	X	High Temperature
Incompatibility (Materials to Avoid) Oxidizing agents, strongly alkaline and strongly acidic materials			

Hazardous Decomposition or By-products Carbon monoxide, Carbon dioxide and smoke.			
Hazardous	May Occur		Conditions to Avoid
Polymerisation	Will Not occur	x	None.

Section VI – Health Hazard Data

Route(s) of Entry	Inhalation? Yes	Skin? Yes	Ingestion? Yes
Health Hazards (acute and chronic) During normal work with the product the health hazard should be considered minimal, inhalation of spray dust to be avoided.			
Carcinogenicity	NTP? N/A	LARC Monographs? N/A	OSHA Regulated? N/A
Signs and Symptoms of Exposure Inhalation of spray dust may cause irritation in the respiratory system. Accidental swallowing may Cause stomach pain. Repeated or prolonged contact with the product may lead to skin irritation.			
Medical Conditions Generally Aggravated by Exposure			
Emergency and first Aid Procedures In case of doubt seek medical advice.			
By accident: Contact a doctor or hospital; bring the label or this safety data sheet with the patient.			
Inhalation: Move the patient into fresh air and keep the patient under surveillance.			
Eyes: Flush immediately with water for at least 10 minutes. Keep the eye wide open. If necessary seek medical attention.			
Skin: Remove contaminated clothing immediately and wash contaminated skin with soap and water. Skin cleanser may be used. Never use thinner or solvent as these degrease the skin.			
Swallowing: Do not provoke vomiting. If vomiting occurs keep the patients' head low to prevent vomit from entering the lungs.			

Section VII – Precautions for Safe Handling and Use

Steps to be taken in Case Material is Released or Spilled Collect spillage with an absorbent material e.g. granulate, sand or earth and place in disposable waste containers according to national legislation. Spillage must not be flushed into sewers or streams. Preferably clean with cleansing agent. Avoid use of solvents. If lakes, streams or the drainage systems have been contaminated inform the relevant authorities according to national legislation.	
Waste Disposal Method Spillage remains and non-cleaned cans should be regarded as chemical waste and be discarded in accordance with national legislation.	
Precautions to Be Taken in Handling and Storing Handling: Avoid inhalation of spray mist. Do not eat or drink in working places. Storage: Keep the product in closed containers, away from children and separated from foodstuffs according to national regulations. Keep the product frost free and away from oxidizing substances and strong acidic or alkaline substances. Opened containers should be carefully closed and kept in an upright position to avoid leakage.	
Other Precautions None	

Section VIII – Control Measures

Respiratory protection (Specify Type)

When spraying use a NIOSH approved respirator.

Ventilation	Local Exhaust	Special General ventilation.
	Mechanical (General)	Other Open window.
Protective Gloves	When repeated or prolonged contact with the product is expected, use protective cream or wear gloves.	Eye Protection Wear suitable goggles or face shield as a protection against splashes.
Other Protective Clothing or Equipment	Wear suitable protective clothing.	
Work/Hygienic Practices	Avoid inhalation of spray mist. Do not eat or drink in working places.	